

LE MANIOC EN CULTURE ASSOCIEE SUR TERRES DE BARRE AU TOGO

(Cassava in associated cultivation on some soil (Terre de Barre) in Togo)

J. MARQUETTE, D. POUZET

IRAT/CIRAD

B.P. 5035

34032 MONTPELLIER CEDEX - FRANCE

RESUME

On compare les rendements, les revenus bruts et les arrières-effets d'une culture du manioc pure et d'une culture du manioc associée au maïs ou à l'arachide. Les rendements du manioc sont réduits par l'adjonction de l'arachide et, encore plus, du maïs. Les revenus des associations sont supérieurs à celui de la culture pure. L'arrière-effet n'est pas perceptible avec le sorgho mais existe pour le maïs, après une culture associée du manioc et du maïs, qui est nettement épuisante.

SUMMARY

Yield, gross income and post-effect of a pure cassava stand and of cassava associated with maize or peanut are compared. Yield of cassava are reduced by associating peanut or, even more, maize. Incomes from associated cultivation are higher than those from pure stand. Post-effect is not seen with sorghum, but is found with maize, after a cultivation of cassava associated with maize which is clearly exhausting.

INTRODUCTION

Dans le sud Togo la culture du manioc est très répandue dans le but de satisfaire une partie des besoins alimentaires de la population, attachée à la consommation de fou fou et particulièrement de gari.